

Technical data 50Hz

Pumps with Encapsulated Motor

Pump model type	Motor				Walaht				
	T	1.347	ш	14.51	1051	Lt [mm]	D		Weight
	Туре	kW	HP	L1 [mm]	L2 [mm]		1 cable	2 cable	Pump [Kg]
VS 78/2	E6	7,5	10	644	646	1290	188	194	77
VS 78/3	E6	11	15	770	711	1481	188	194	87
VS 78/4	E6	15	20	896	776	1672	188	194	57
VS 78/5	E6	18,5	25	1022	841,5	1863,5	188	194	109
VS 78/6	E6	22	30	1148	906,5	2054,5	188	194	120
VS 78/7	E6	30	40	1274	1036,5	2310,5	188	194	140
VS 78/8	E6	30	40	1400	1036,5	2436,5	188	194	145
VS 78/9	E6	30	40	1526	1036,5	2562,5	188	194	150
VS 78/10	E6	37	50	1652	1405	3057	188	194	206
VS 78/11	E6	37	50	1778	1405	3183	188	194	211
VS 78/12	E8	45	60	1909	1077	2986	200	202	254
VS 78/13	E8	55	75	2035	1394	3429	200	202	259
VS 78/14	E8	55	75	2161	1394	3555	200	202	294
VS 78/15	E8	55	75	2287	1394	3681	200	202	299
VS 78/16	E8	75	100	2413	1496	3909	200	202	342
VS 78/17	E8	75	100	2539	1496	4035	200	202	347
VS 78/18	E8	75	100	2665	1496	4161	200	202	352
VS 78/19	E8	75	100	2791	1496	4287	200	202	357
VS 78/20	E8	75	100	2917	1496	4413	200	202	361
VS 78/21	E8	75	100	3043	1496	4539	200	202	366
VS 78/22	E8	93	125	3169	1748	4917	200	202	449
VS 78/23	E8	93	125	3295	1748	5043	200	202	454
VS 78/24	E8	93	125	3421	1748	5169	200	202	459

Pumps with Rewindable Motor

Pump model type	Motor				W-1-1-1				
		1.347					D		Weight
	Туре	kW	HP	L1 [mm]	L2 [mm]	Lt [mm]	1 cable 2 cabl	2 cable	Pump [Kg]
VS 78/2	6RW	7,5	10	644	719	1363	188	194	82
VS 78/3	6RW	11	15	770	779	1549	188	194	92
VS 78/4	6RW	15	20	896	874	1770	188	194	66
VS 78/5	6RW	18,5	25	1022	919	1941	188	194	116
VS 78/6	6RW	22	30	1148	1009	2157	188	194	130
VS 78/7	6RW	26	35	1274	1114	2388	188	194	146
VS 78/8	6RW	30	40	1400	1214	2614	188	194	161
VS 78/9	6RW	30	40	1526	1214	2740	188	194	166
VS 78/10	6RW	37	50	1652	1294	2946	188	194	178
VS 78/11	6RW	37	50	1778	1294	3072	188	194	183
VS 78/12	8RW	45	60	1909	1230	3139	197	199.5	238
VS 78/13	8RW	52	70	2035	1340	3375	197	199.5	266
VS 78/14	8RW	52	70	2161	1340	3501	197	199.5	271
VS 78/15	8RW	55	75	2287	1340	3627	197	199.5	276
VS 78/16	8RW	60	80	2413	1470	3883	197	199.5	300
VS 78/17	8RW	67	90	2539	1470	4009	197	199.5	305
VS 78/18	8RW	67	90	2665	1470	4135	197	199.5	310
VS 78/19	8RW	75	100	2791	1560	4351	197	199.5	332
VS 78/20	8RW	75	100	2917	1560	4477	197	199.5	336
VS 78/21	8RW	75	100	3043	1560	4603	197	199.5	341
VS 78/22	8RW	83	110	3169	1560	4729	197	199.5	378
VS 78/23	8RW	83	110	3295	1560	4855	197	199.5	383
VS 78/24	8RW	93	125	3421	1740	5161	197	199.5	388



